



Department of  
Environmental  
Conservation

## State Pollutant Discharge Elimination System (SPDES) DISCHARGE PERMIT

Industrial Code:	7699	SPDES Number:	NY0200484
Discharge Class (CL):	01	DEC Number:	2-6401-00065/00001
Toxic Class (TX):	T	Effective Date (EDP):	08/01/2018
Major Drainage Basin:	17	Expiration Date (ExDP):	07/31/2023
Sub Drainage Basin:	01	Modification Dates: (EDPM)	11/01/2019
Water Index Number:	SI (12.9-14.6)		
Compact Area:	IEC		

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the Clean Water Act, as amended, (33 U.S.C. §1251 et.seq.)(hereinafter referred to as "the Act").

PERMITTEE NAME AND ADDRESS			
Name:	Clean Water of New York Inc.	Attention:	Robert A. Probst, President
Street:	3249 Richmond Terrace		
City:	Staten Island	State:	NY Zip Code: 10303

is authorized to discharge from the facility described below:

FACILITY NAME AND ADDRESS			
Name:	Clean Water of New York Waste Oil Reprocessing and Storage Facility		
Location (C,T,V):	Staten Island	County:	Richmond
Facility Address:	3249 Richmond Terrace		
City:	Staten Island	State:	NY Zip Code: 10303
NYTM -E:	570.5	NYTM - N:	4498.9
From Outfall No.:	001	at Latitude: 40 ° 38 ' 30 "	& Longitude: 74 ° 10 ' 00 "
into receiving waters known as:	Newark Bay		Class: SD

in accordance with: effluent limitations; monitoring and reporting requirements; other provisions and conditions set forth in this permit; and 6 NYCRR Part 750-1 and 750-2.

DISCHARGE MONITORING REPORT (DMR) MAILING ADDRESS			
Mailing Name:	Clean Water of New York Inc.		
Street:	3249 Richmond Terrace		
City:	Staten Island	State:	NY Zip Code: 10303
Responsible Official or Agent:	Robert A. Probst, President	Phone:	(718) 918-4600

This permit and the authorization to discharge shall expire on midnight of the expiration date shown above and the permittee shall not discharge after the expiration date unless this permit has been renewed, or extended pursuant to law. To be authorized to discharge beyond the expiration date, the permittee shall apply for permit renewal not less than 180 days prior to the expiration date shown above.

**DISTRIBUTION:**

CO BWP - Permit Coordinator  
RWE  
RPA  
EPA Region II  
IEC

Deputy Chief Permit Administrator:	Scott E. Sheeley	
Address:	Division of Environmental Permits 625 Broadway, 4 <sup>th</sup> Floor Albany, NY 12233-1750	
Signature:		Date: 10/03/2019